





Overall length / Longueur hors tout	58'10''	17,94 m
Hull length / Longueur coque	57'8''	17,60 m
Overall beam / Bau maxi	24'9''	7,54 m
Draft / Tirant d'eau	5'1''	1,55 m
Light displacement / Déplacement lège	87 080 Lbs	39 499 kg
Fuel capacity / Capacité carburant	768 US gal	2 900 l
Water capacity / Capacité eau	200 US gal	760 l
Hot water heater capacity / Capacité ballon d'eau chaude	2 x 16 US gal	2x 60 l
Accommodation / Couchages	8 + 2 crew std + 1 crew option	
Category / Catégorie	A - 12 / B -14 / C - 16 / D - 20	
Engine / Motorisation	VOLVO 2 x D8 - 550 HP - V-Drive	
Designers / Architectes	Garroni Design - Marc Lombard Yacht Design	

Connected boat technology. Equipped wit **Seanapps**






Flybridge



Exterior cockpit lounging version + Dining table and chairs









Exterior cockpit u-shaped seated version + Dining table and chairs

Main deck – Living room interior version & Exterior cockpit u-shaped seated version



Main deck – Interior dining table version & Exterior cockpit lounging version



Lower deck – 4 cabins / 4 bathrooms $1^{\rm rst}$ crew cabin in std - $2^{\rm nd}$ crew cabin in option



ENGLISH / Standard equipment

Interior & Exterior Ambiance

• Gentle Clay oak

• Chocolate

Deck

- Stainless steel stem head fitting with anchor roller
- · Electric windlass with wired remote in anchor locker (24V)
- Windlass controls at lower helm and flybridge
 Anchor locker with dedicated space for fender storage
 Freshwater/saltwater anchor washdown
- Stainless steel cleats (6)
- · Polished stainless steel handrails
- Stainless steel rail

- Foredeck sunpad area with cushions
 Foredeck seating area
 Storage compartment with dual access (from cockpit and bathing platform)
- Foredeck 2 marine stereo speakers
- Courtesy LED lights on sidedecks
- Mooring kitAnchoring kit
- 40kg anchor with 100m (328') of chain

Bathing Platform

- Multifunctional hydraulic platform Net Max. payload 500 kg with teak coating
- · Hot and cold shower
- · Stainless steel bathing ladder

Cockpit

- Natural teck in cockpit and side decks
- Integreted ladder to flybridge with teak steps
- · Access hatch to the engine room with gas struts
- Lateral door in coaming (port)
- 2 marine stereo speakers
- Courtesy LED lighting
- Stern docking winch (port)
- Freshwater deck washdown
- Storage compartment with ladder for direct access

Flybridge

- Helm console with engine throttles and maneuvering joystick, Twin engine V-Drive system, VOLVO joystick for V-Drive transmission, 2 Bow thrusters 24V dual prop, compass, 12V plug, cup holders
- Navigation electronics including: autopilot, VHF, 2 multifonction screens 16"
- Horn
- Helm station bench
- · Polished stainless steel guard rails
- Perspex windscreen with integrated stainless steel structure
- Exterior dining table and 4 dining chairs
- Seating area2 separate sunpad with weighted backrest
- 4 marine stereo speakers
- Galley with Corian top, wood doors, storage, grill & fridge
- Courtesy LED lighting
 GRP mast with space for antennas and radar, and with integrated storage and teak doors
- Stainless steel guard rails

Saloon

- One modular sofa
- 2 ottomans and one coffee table
- Retractable TV movement system
- · Opening bay window on port side
- · Aft trempered glass patio door in stainless steel and aluminum
- Natural wood floor
- Pre-install for 55" TV
- · 2 stereo speakers

Gallev

- Stainless steel sink
- Mixing tap with pull-out sprayer
 MIELE or equivalent appliances (Induction hob with integrated extractor, oven with microwave fonction, dishwasher)
- Refrigerator and freezer from Miele (or an equivalent brand) 290L capacity 4 burner induction cooktop MIELE or equivalent with
- build in extractor hood

- Integrated cooker hob extractor
- Galley worktop in Laminam
 Waste bin
- Storage drawers and cupboards
- Natural wood floor
- 2 stereo speakers
- AC plug

Master Suite

- King-size bed (180 cm/ 200 cm 5'10"/ 6'6") Memory foam mattresses
- 2 reading lamps
- · Bedside tables with storage
- Large closet with shelving (X2)
- · Desk with drawers and pouf
- Sofa
- · Vanity desk with drawer
- Panoramic side windows with blinds and opening ports
- Removable carpet set
- AC and USB plugs
- En suite bathroom access via pocket door

- 2 Cold Glass washbasins
 Natural stone countertop
 Separate shower compartment
- Freshwater electric toilets
- Extractor fan
- AC plug
- Opening port
- Pre-install for 42" TV
- 2 marine stereo speakers

Vip Stateroom

- Double bed (160 cm/ 195 cm 5'2" / 6'4")
- Memory foam mattresses
- 2 reading lamps
- Bedside tables

- Large closet with shelving
 Vanity desk with drawer
 Panoramic side windows with blinds and opening ports
- Removable carpet set
- Acoustic carpet underlay
- Pre-install for 32" TV
- En suite bathroom
- Corian countertop, glass sink basin
 Separate shower compartment
- Freshwater electric toilets
- Extractor fan
- AC and USB plugs
- Opening port

Guest stateroom

- Double bed (160 cm/ 195 cm 6'4" / 5'2")
- 2 reading lampsBedside table with storage
- Closet with shelving
 Panoramic side windows with opening ports
- Removable carpet set
- Acoustic carpet underlayPre-install for 32" TV

- En suite bathroom
- Corian countertop, glass sink basin
- Separate shower compartment • Freshwater electric toilets
- Extractor fan
- AC and USB plugs
- Opening port

2nd Guest Stateroom

- 2 single berths "pullman" (80 cm/200 cm 2'6" / 6'2")
- 2 reading lamps Large closet with shelving
- Panoramic side windows with opening ports • Pre-install for 32" TV
- En suite bathroom
- Corian countertop, glass sink basin · Freshwater electric toilets
- AC and USB plugs
- · Opening port

Crew Accommodation - Standard • 2 single berths (75 cm/ 196 cm - 29"/ 6'5")

- Storage closet
- · Separated bathroom with toilet, washbasin • Crew door access from cockpit

- Pre-install for 24" TV
- AC and USB plugs

Crew Accommodation - Additional in Option

- Single berth (75 cm/ 196 cm 29"/ 6'5")
- Storage closet
- Hatch access from cockpit
- Bathroom with toilet, washbasinAC and USB plugs

Propulsion

- Twin engine V-Drive system
- VOLVO joystick for V-Drive transmission
- Electronic engine controls and throttles at each helm
 Single Lever, Cruise Control and On-board computer
- Autopilot
- 2 Bow thrusters 24V dual prop
- Forced air ventilation system for engine room

- Electrical system

 Battery bank 24V Engine (200 A/h)

 Battery bank 24V House (560 A/h)

 Battery bank crossover switch at helm Ship Control - monitoring and control system connected
- to each MFD screen · Seanapps: connected box + mobile application for monitoring safety, navigation data, maintenance and
- comfort on board Tactile graphic display for battery levels, AC sources, lighting and tank levels
- Remote battery switches
- · Centralized distribution and breaker boxes for AC and DC systems • AC shore power system • Twin battery chargers 2 x 60A - 24V + 1x60 A - 24V
- Inverter 2000W
- · LED interior and exterior lighting with dimmer switches · AC plugs in each cabin and in the galley and saloon

Fuel system

- 2 fuel tanks (aluminum) with interconnection valves -2900 L / 766 US Gal
 • Fuel fills to port and starboard
 • Remote shut-off valves in the main deck
- Water system
- Freshwater tanks 760 L / 200 US Gal
 Hot water heater 120 L / 32 US Gal
 Freshwater pressure pump
 Grey water sump pump with automatic discharge

- Dock water inlet with regulator • Holding tank - 340 L / 63 US Gal
- Holding tank vent filters
- Overboard discharge pumps for holding tanks with macerator function and deck pump-out
 Automatic bilge pumps (8) with high water alarm
- · Manual bilge pump

- **Systems** • High efficiency air conditioning Mediterranean –
- 135.000 BTU Generator 21,5 Kw 220V / 50HZ
- Automatic fire extinguishers in engine room with control at each helm (Novec 1230)
- Construction
- Infused GRP hull with longitudinal infused stringers Isophthalic gelcoat
- Osmosis barrier Infused structural bulkheads
- User and Owner's manuals
- Eco cleaning kit Captain's briefcase with set of manuals • Factory preparation and launching

Additional standard equipment

North American Specifications

- High efficiency Tropical air conditioning 165,000 BTU
 Generator with underwater silent exhaust (24kW)
- Glendinning cable management system
- Galvanic Isolator
- · Cathodic bonding system with dedicated anodes
- Mooring kit